

G.K. Chemical Specialties Co. Inc. 90 Barbados Blvd. Scarborough, Ontario M1J 1K9 Tel: (416) 261-7182 Fax: (416) 261-5663

## SAFETY DATA SHEET (SDS)

PRODUCT NAME: G-600 LIQUID DEODORANT & AIR FRESHENER CHERRY SCENT

HEALTH HAZARD RATING:	(1)- MINIMAL HAZARD	NFPA Rating
FLAMMABILITY HAZARD RATING:	(0)- MINIMAL HAZARD	
REACTIVITY HAZARD RATING:	(0)- MINIMAL HAZARD	
PERSONAL PROTECTION:	B (GLASSES, GLOVES)	
HAZARD ALERT SIGN:		

SECTION 1 – IDENTIFICATION		
PRODUCT IDENTIFIER		
PRODUCT NAME	G-600 LIQUID DEODORANT & AIR FRESHENER CHERRY SCENT	
MANUFACTURER'S NAME AND ADDRESS EMERGENCY PHONE NO.	G.K. Chemical Specialties Co. Inc. 90 Barbados Blvd. Scarborough, Ontario M1J 1K9 (416) 261-7182 / 905 427-7605/ 416-526-4037	
SUPPLIER'S NAME AND ADDRESS EMERGENCY PHONE NO.		
CHEMICAL NAME	N/A	
CHEMICAL FAMILY	N/A	
TRADE NAME AND SYNONYMS	G-600	
MATERIAL USE	AIR FRESHENER	

G.K. Chemical Specialties Co. Inc. has compiled the information and recommendations contained in this Safety Data Sheet from sources believed to be reliable and to represent the most reasonable current opinion on the subject when the SDS was prepared. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation.

G.K. Chemical Specialties Co. Inc. extends no warranty and assumes no responsibility as to the accuracy of the content or sufficiency of the information and expressly disclaims all liability for reliance thereon. This SDS provides guidelines for the safe handling of this product. It does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required. Individuals exposed to this product should read and understand this information and be provided pertinent training prior to working with this product.

G.K. Chemical Specialties Co. Inc. assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. Such vendors or users assume all risks associated with the use of the material.

<u>INGREDIENTS.</u> This SDS, under section of Ingredients, contains all ingredients listed under INGREDIENT DISCLOSURE LIST P.C. 1987-2719, 20/1/88 CANADA GAZETTE PART II VOL. 122, No 2 of HAZARDOUS PRODUCT ACT.

Percentage range of concentration of ingredients is expressed as percentage by weight of the total weight of the product. Ingredient List does not necessarily list all ingredients in the formulation and does not necessarily list all ingredient range of concentration, other than ingredients under the Disclosure List.

<u>T.L.V.</u> (units) or Threshold Limit Values refer to the limiting concentrations recommended by the Ministry of Labour. These values were adopted by the American Conference of Governmental Industrial Hygienists (A.C.G.I.H.). The figures refer to time-weighted average concentrations as P.P.M. (V/V) or mg/m<sup>3</sup> for a normal working day or at any time for some materials.

<u>"C.A.S REG. No."</u> means the identification number assigned to a chemical substance by the Chemical Abstracts Service Division of the American Chemical Society.

<u>"LC 50"</u> means the concentration of a substance in air that when administered by means of inhalation over a specified length of time in an animal assay, is expected to cause the death of 50 per cent of a defined animal population.

<u>"LD 50"</u> means the single dose of a substance that, when administered by a defined route in an animal assay, is expected to cause death of 50 per cent of a defined animal population.

<u>FLASH POINT.</u> The minimum temperature at which a substance gives off flammable vapors which in contact with spark or flame will ignite.

NIOSH- National institute for occupational safety and health STEL- Short term exposure limit TWA- Time-weighted average PEL- Permissible exposure limit ACGIH- American conference of governmental industrial hygienist OSHA- Occupational safety and health act

Dangerous Goods-WHMIS: NOT REGULATED
OSHA HAZARDS: Irritant
GHS CLASSIFICATION- (Product as Sold)
Acute Toxicity Dermal- Category 5
Eye Irritation- Category 2A
GHS Label Elements, including precautionary statements: Hazard Statements Signal word-DANGER
HAZARD STATEMENTS
H320- Causes eye irritation H316-Causes mild skin irritation
H302- Harmful if swallowed
PREVENTION (see also section 4 – First aid and measures)
P280: Wear protective gloves and eye protection
P264: Wash skin thoroughly after handling
P270: Do not eat, drink or smoke when using this product
P405: Store locked up
RESPONSE:
P305 + P351 + P338- IF IN EYES: Rinse cautiously with water for several minutes. Remove
contact lenses, if present and easy to do. Continue rinsing.
P337 + P313: If eye irritation persists: Get medical advice/ attention
P303 + P361 +P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated
clothing. Rinse skin with water. Shower.
P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor / physician. P301 + P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
POTENTIAL HEALTH EFFECTS
EYE: May cause irritation
SKIN: May cause mild skin irritation
INGESTION: May be harmful if swallowed

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS				
HAZARDOUS INGREDIENTS	APPROXIMATE CONCENTRATION %	C.A.S., N.A. OR U.N. NUMBERS	LD50 {SPECIFY SPECIES & ROUTE}	LC 50 {SPECIFY SPECIES & ROUTE}
Quaternary ammonium compounds, benzyl-C12-C16- alkyldimethyl, chlorides	0.3 – 0.5	68424-85-1	Oral(Rat): 344 mg/kg Dermal (Rabbit): 3,340 mg/kg	
Alcohols, C9-C11, Ethoxylated	1-3	68439-46-3	Oral (Rat): 1,400 mg/kg Dermal(Rabbit):>2,000 mg/kg	
Propylene Glycol	1 - 3	57-55-6	Oral (Rat): 20,000 mg/kg Dermal(Rabbit): 20,800 mg/kg	
Isopropyl Alcohol	1 - 3	67-63-0	Oral (Rat): 5,045 mg/kg Dermal (Rabbit): 12,800mg/kg	
Complex Fragrance Mixture	2 - 5	Not found	Oral (Rat): >2,500 mg/kg Dermal (Rabbit): >2,000 mg/kg	
Water, inert and other non - hazardous ingredients	Balance			

SECTION 4 – FIRST AID MEASURES		
SKIN CONTACT	Contact may cause mild irritation to some people, but no specific risk when handled in accordance with safety practice. In case of contact rinse with plenty water.	
EYE CONTACT	Contact can cause mild discomfort. Immediately hold eyelids open and flush with water for at least 15 minutes.	
INHALATION	No known significant effects or critical hazards	
INGESTION	May be harmful if swallowed. Do not induce vomiting. Drink 1 or 2 glasses of water. Seek immediate medical attention. Never give anything by mouth to an unconscious or convulsing person. If vomiting occur spontaneously, keep head below hips to prevent aspiration of liquid into the lungs.	
NOTES TO PHYSICIAN	Treatment based on sound judgment of physician and individual reaction of patient. EYE CONTACT: For product as sold symptoms may include stinging, tearing and redness	

SECTION 5 – FIRE-FIGHTING MEASURES		
FLASH POINT ( °C)	Not applicable	
FLASH POINT METHOD	Not applicable	
AUTOIGNITION TEMPERATURE ( <sup>o</sup> C )	Not applicable	
UPPER FLAMMABLE LIMIT ( % VOL.)	Not applicable	
LOWER FLAMMABLE LIMIT ( % VOL. )	Not applicable	
HAZARDOUS COMBUSTION PRODUCTS	Carbon Dioxide ( $CO_2$ ), Carbon monoxide (CO) and other toxic gasses or	
	vapors	

UNUSUAL FIRE/ EXPLOSION HAZARDS	None known
SENSITIVITY TO MECHANICAL IMPACT	Not sensitive
SENSITIVITY TO STATIC DISCHARGE	Not sensitive
EXTINGUISHING MEDIA	Water spray, foam, dry powder or Carbon Dioxide. Use media appropriate for surrounding fire. Product does not support combustion.
SPECIAL FIRE FIGHTING PROCEDURES	Fire fighters should wear full protective clothing, including self- contained breathing equipment

## SECTION 6 – ACCIDENTAL RELEASE MEASURESLEAK AND SPILL PROCEDUREStop leak. Move containers from spill area. Dilute with water and mop<br/>up. Material can create slippery conditions. Use non-slip safety shoes<br/>in areas where spills or leaks can occurENVIRONMENTAL PRECAUTIONARYPrevent entry into sewers or streams. Do not rinse spill onto the<br/>ground, into storm sewers or bodies of water.PERSONAL PRECAUTIONARY MEASURESWear protective clothing during cleanup. Avoid contact with skin, eyes<br/>or clothing.

SECTION 7 – HANDLING AND STORAGE		
HANDLING PROCETURES	Avoid contact with eyes and skin. Avoid ingestion. Use good industrial hygiene practices in handling this product. Wash thoroughly after handling. Keep container closed when not in use.	
STORAGE NEEDS	Keep container tightly closed. Keep away from children. Do not store in unlabeled containers. Do not store with strong oxidizing agents.	

SECTION 8 – EXPOSURE CONTROLS/PERSONAL PROTECTION		
VENTILATION REQUIREMENTS	General ventilation is recommended.	
PROTECTIVE EQUIPMENT	Ensure that eyewash stations are proximal to the work-station location	
EYE/TYPE	Safety glasses	
RESPIRATORY/TYPE	None required with expected use.	
GLOVE/TYPE	Nitrile, Vinyl, latex, Butyl impervious gloves	
FOOTWEAR/TYPE	No special footwear is required	
BODY/TYPE	No special protective clothing is required	

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES	
APPEARANCE – PHYSICAL STATE	Clear red liquid
ODOUR	Cherry scent
ODOUR THRESHOLD (PPM)	Not available
РН	7.20 ±0.50
MELTING POINT ( °C)	Not applicable
BOILING POINT ( <sup>o</sup> C )	100°C
FREEZING POINT ( °C )	0°C
EVAPORATION RATE	As water

FLAMMABILITY	Not applicable
FLASH POINT ( <sup>0</sup> C)	Not applicable
AUTO IGNITION TEMPERATURE	Not applicable
DECOMPOSITION TEMPERATURE	Not available
VAPOUR DENSITY	17.3 gm / m <sup>3</sup> @ 20 <sup>0</sup> C
VAPOUR PRESSURE	17.54 mmHg @ 20 <sup>0</sup> C
SOLUBILITY	Soluble in water
VISCOSITY	Thin liquid
% VOLATILE BY VOLUME	97 ± 0.1
SPECIFIC GRAVITY	$1.00 \pm 0.01 \text{ gm} / \text{cm}^3$

SECTION 10 – STABILITY AND REACTIVITY		
REACTIVITY	The product is stable	
CHEMICAL STABILITY	Stable	
POSSIBILITY OF HAZARDOUS REACTIONS	Not applicable	
CONDITIONS TO AVOID	No specific data	
INCOMPATIBLE MATERIALS	Strong Oxidizing agents, Acids.	
HAZARDOUS DECOMPOSITION PRODUCTS	Carbon Dioxide (CO <sub>2</sub> ), Carbon Monoxide (CO), Oxides of Nitrogen	

SECTION 11-TOXICOLOGICAL INFORMATION			
TOXICITY EFFECTS ON ANIMALS	<ul> <li>For Quaternary ammonium compounds, benzyl- C12-C16- Alkyldimethyl, chlorides (68424-85-1): Acute Oral Toxicity LD50 (Rat): 344 mg/kg. Acute Dermal Toxicity LD50 (Rabbit): 3,340 mg/kg.</li> <li>For Alcohols, C9-C11, Ethoxylated (68439-46-3): Acute Oral Toxicity LD50 (Rat): 1,400 mg/kg. LD50 Dermal (Rabbit): &gt;2,000 mg/kg.</li> <li>For Propylene Glycol (57-55-6): Acute Oral Toxicity LD50 (Rat): 20,000 mg/kg.</li> <li>Acute Dermal Toxicity LD50 (Rabbit): 20,800 mg/kg.</li> <li>For Isopropyl Alcohol (67-63-0): Acute Oral Toxicity LD50 (Rat): 5,045 mg/kg.</li> <li>LD50 Dermal (Rabbit): 12,800 mg/kg.</li> <li>For Complex Fragrance Mixture: Acute Oral Toxicity LD50 (Rat): &gt;2,500 mg/kg.</li> <li>LD50 Dermal (Rabbit): &gt;2,000 mg/kg.</li> <li>For the mix estimated Acute Oral Toxicity is much &gt;5000 mg/kg. Therefore product is classified as non-toxic. Acute Dermal Toxicity for the mix is also estimated to be much &gt;5,000 mg/kg. Therefore the product is not toxic.</li> </ul>		
TOXIC EFFECTS ON HUMANS	No specific risk for this product when handled in accordance with safety practice.		
CHRONIC EFFECTS ON HUMANS	Prolonged contact with skin may defat tissue causing skin problems.		
CARCINOGENICITY	No evidence		
TERATOGENICITY	No evidence		
MUTAGENICITY	No evidence		
REPRODUCTIVE EFFECTS	No evidence		

SECTION 12 -ECOLOGICAL INFORMATION		
	<b>For Quaternary ammonium compounds, benzyl-C12-C16- Alkyldimethyl, chlorides</b> (68424-85-1): Toxic to aquatic life. Acute Toxicity to fish: LC50, Fathead minnow (Pimephales promelas): 0.28 mg /L /96 h. Acute Toxicity to aquatic invertebrates EC50 Daphnia magna (Water flea): <1.00 mg /L / 48 h. Biodegradability >99 %.	
	<b>For Alcohols, C9-C11, Ethoxylated (68439-46-3):</b> Acute Toxicity to fish LC50, Fathead minnow (Pimephales promelas): 8.5 mg / L /96 h. EC50, Daphnia magna (Water flea): 5.3 mg /L /48 h. Ingredient readily BIODEGRADABLE.	
ECOTOXICITY DATA	<b>For Propylene Glycol (57-55-6) :</b> Acute Toxicity to fish LC50, Fathead minnow (Pimephales promelas):710mg/ L / 96 h. Acute Toxicity to aquatic invertebrates, EC50, Daphnia magna (Water flea): >10,000 mg /L /24 h.	
	For Isopropyl Alcohol (67-63-0): Acute Toxicity to fish LC50, Fathead minnow (Pimephales promelas): 100,000 mg /L/ 96 h. The product itself and its products of degradation are not toxic. Ingredient readily BIODEGRADABLE. For Complex Fragrance Mixture: No information found.	
BIODEGRADABILITY	Readily biodegradable	
PRODUCTS OF DEGRADATION	No data available	

SECTION 13 – DISPOSAL CONSIDERATIONS		
WASTE DISPOSAL	Disposal of all wastes must be done in accordance with municipal, provincial and federal regulations	
INFORMATION ON SAFE HANDLING FOR DISPOSAL INCLUDING ANY CONTAMINATED PACKAGING	Suitable waste facility	

SECTION 14 – TRANSPORT INFORMATION		
UN NUMBER	Not applicable	
UN PROPER SHIPPING NAME	Not applicable	
TRANSPORT HAZARD CLASS	Not applicable	
PACKAGING GROUP	Not applicable	
ENVIRONMENTAL HAZARDS	Nil	
TRANSPORT IN BULK, if applicable	Not applicable	
SPECIAL PRECAUTIONS	Not applicable	

SECTION 15 – REGULATORY INFORMATION			
SAFETY HEALTH & ENVIRONMENTAL REGULATIONS SPECIFIC TO THE PRODUCT	<ul> <li>U.S. TSCA inventory Status: All components of this product are either on the Toxic Substances Control Act (TSCA) INVENTORY List or exempt.</li> <li>Canadian DSL Inventory Status: All components of this product are either on the Domestic Substances List (DSL) or the Non-Domestic Substances List (NDSL) or exempt.</li> </ul>		

SECTION 16 – OTHER INFORMATION		
PREPARED BY:	Gus Kaklamanos - Chemist	
TELEPHONE NO.:	416-261-7182	
DATE OF THE LATEST REVISION OF SDS:	May 8, 2024	